

# Universal GC 60

Product code: 4990 C

Power 200-240 volts, 35 amp, 3 phases

Air 90 PSI 4.2 CFM

Operating system Win 2000, UIC UPS+ 6.3.2

Heads 2 lightning heads

Cameras 2 narrow field of view & 2 wide field of view + 2 PEC cameras ( fiducials )

2 changers 70 holes

100 nozzles included

Board size max 20 X 20 in, min 2 X 2 in

Speed: 50,000 PPH

Machine has been inspected & calibrated ( included high accuracy trim )

Take a look:

<https://www.youtube.com/watch?v=Y2InTXpCdbS>


[https://www.youtube.com/watch?v=beRARD\\_5PFM](https://www.youtube.com/watch?v=beRARD_5PFM)





**Universal**<sup>®</sup> Universal Instruments Corporation  
Binghamton, NY U.S.A.

Product No.	49714383	HECC 104	Volts	200-240	Phase	1	
Equip. No.	10091732	Product Code	49900	Amps	35	Plant No.	
			Hertz	50/60			





Phase **THREE** OPD Short Circuit Interrupt Capacity **10K A** CFM **4.2**  
Electrical Diagram **49770803** Liters **119**  
Plant No. **6** Air Required: PSI **90** Bars **6.2** Factory Automation Equipment  
UL  
2HF3









